


Daudzums | **Apraksts**

1

SOLOLIFT2 CWC-3



Piez me. Produkta att Is var atš irties no faktisk produkta izskata.

Produkta Nr.: [97775316](#)

Sololift2 CWC-3 is a small, compact automatic lifting station suitable for pumping of wastewater off places in private dwellings where wastewater cannot be led directly to the sewer by means of a natural downward slope.

Sololift2 CWC-3 is typically used for:

- wall-hung toilets, cabinet showers and washbasins in basements below sewer level, in connection with the renovation or modernisation of existing buildings, where the location may be remote from the main soil pipe so that a natural slope cannot be established.

Extremely low switching levels for lowest construction heights, advantageously in case of connection of a shower receptor.

Sololift2 CWC-3 is suitable for installation in a hollow space behind a wall-hung toilet.

This lifting station is only suitable for pumping wastewater from a cabinet shower and a washbasin as well as sewage water from a toilet containing toilet paper and faeces.

The pumping of liquids containing other material may cause faults and limit the scope of our guarantee.

The compact lifting station is equipped with

- Cable with or without plug (see technical data)
- Horizontal or vertical fastening possibility of discharge hose connector with several adaptors for pipes with Ø22-40mm
- integrated non return valve
- Dry and high performance motor unit incl. thermal protection, pressure switch and controller
- DN100 toilet connection hose
- Flexible connectors for inlet (adjustable in height) of pipes Ø36 or 40
- Slot for an alarm board with buzzer (accessory)
- Manual anti clogging function and separate drain connection for service
- Venting valve with overflow protection
- Uplift fixation clips

Design according to EN12050-3 and production inspection by external institute with unique features focused on quick installation, long lasting operation and easy clean service.

Š idrums:

S kn jamais š idrums: Jebkurš tona š idrums

Š idruma maksim l temperat ra: 50 °C

Bl vums pie izv l t s š idruma temperat ras: 998.2 kg/m³

Tehn.:

Apstiprin jumi pases datu pl ksn t : CE,TR,VDEEMV,VDE,MORO

L knes tolerance: ISO9906:2012 3B

Materi li:

Tvertne: Plastic

Uzst d šana:

S k a iep l des kan ls: 32/36/40, 36/40/50, DN 100

S k a izpl des kan ls: 22/25/28/32/36/40

Pievadu skaits: 3X0,75MM2

Elektriskie dati:

Ieejas jauda - P1: 620 W

T kla frekvence: 50 Hz

Nomin lais spriegums: 1 x 220-240 V

Nomin l str va: 3 A

Cos phi - jaudas koeficients: 0.92

Daudzums	Apraksts
----------	----------

Nominlais trums:	2800 apgr./min
Korpusedze klase (IEC 34-5):	IP44
Izolcijasklase (IEC 85):	F
Kabea garums:	1.2 m
Kabea veids:	H05VV-F-3G
Kabeuzga tips:	SCHUKO

Citi:

Netosvars:	8.09 kg
Brutosvars:	9.69 kg
Danish VVS No.:	614364632
Finnish LVI No.:	4965314
Norwegian NRF no.:	9045712
Izcelsmes valsts:	RS
Muitas tarifa Nr.:	84137021

Apraksts	Vērtība
Vispārīgā informācija:	
Produkta nosaukums:	SOLOLIFT2 CWC-3
Produkta Nr.:	97775316
EAN numurs:	5710624187258 5710624187258
Cena:	595,20 EUR
Tehniskie dati:	
Maksimālais spiedienaugstums:	8.5 m
Apstiprinājumi pasēdaturā:	CE,TR,VDEEMV,VDE,MORO
Līdzinātā tolerance:	ISO9906:2012 3B
Materiāli:	
Tvertne:	Plastic
Uzstādīšana:	
Sūkņa ietilpums:	32/36/40, 36/40/50, DN 100
Sūkņa izplūdes caurule:	22/25/28/32/36/40
Pievadu skaits:	3X0,75MM2
Šķidrums:	
Sūkņa jaudas šķidrums:	Jebkurš tona šķidrums
Šķidruma maksimālā temperatūra:	50 °C
Blīvums pie izvēlētā šķidruma temperatūras:	998.2 kg/m ³
Elektriskie dati:	
Ieejas jauda - P1:	620 W
Tīkla frekvence:	50 Hz
Nominālais spriegums:	1 x 220-240 V
Nominālā strāva:	3 A
Cos phi - jaudas koeficients:	0.92
Nominālais griezumums:	2800 apgr./min
Korpusa klase (IEC 34-5):	IP44
Izolācijas klase (IEC 85):	F
Termiskā aizsardzība:	THERMIK S06-150-05
Kabeļa garums:	1.2 m
Kabeļa veids:	H05VV-F-3G
Kabeļa uzgādes tips:	SCHUKO
Citi:	
Neto svars:	8.09 kg
Bruto svars:	9.69 kg
Produkta klase:	Starptautisks
Dāņu VVS Nr.:	614364632
Finnish LVI Nr.:	4965314
Norwegian NRF no.:	9045712
Izcelsmes valsts:	RS
Muitas tarifa Nr.:	84137021

