



TECE

# DESIGN IN FULL WIDTH

TECElineo shower channel set

Drainage systems

close to you










SIMPLE DESIGN,  
FITS INTO DIFFERENT  
ROOM CONCEPTS.

“When it comes to shower drainage, I want it to be easy to install and simple to clean.”



## The advantages





A high-angle, minimalist photograph of a bathroom shower. The shower is enclosed by a glass door on the left. The walls and floor are made of light-colored, textured stone tiles. On the back wall, there is a showerhead with a black handle and a silver hose, and three circular shower controls. A window on the left shows a view of green trees and a white cushion with a black and gold pattern. A dark grey towel hangs on a hook on the right wall. The text "PERFECTLY INTEGRATED AND HYGIENIC." is overlaid in white, uppercase letters in the upper center.

PERFECTLY INTEGRATED  
AND HYGIENIC.

# EVERYTHING FLOWS SMOOTHLY.

Where no corners and edges slow down the flow, everything runs smoothly. Pleasant both for the eye and for hygiene.




## Clean in no time



### Featuring self-cleaning effect

The inner gradient optimises drainage of water and the self-cleaning effect, thereby reducing the amount of cleaning required. It also reliably prevents puddles from forming.



### With the simplest of tools

Rinse, wipe, done: a simple cloth is all you need to clean the low-maintenance stainless steel TECElineo.



### Very simple

Immersion pipe with membrane odour trap can be removed for cleaning.

## Clever technology for simple installation

### More design freedom

The stainless steel profile can be shortened from 1000 mm on both sides to up to 400 mm, allowing it to be adapted exactly to the dimensions of any shower area. This creates an aesthetic overall impression without tile fragments on the sides especially with large-format tiles.




### Hinged flange of the drain for installation flush with the wall.

The drain can be positioned directly on the wall for wall coverings from 10 mm incl. tile adhesive.

### Sealing sleeve included


A sealing sleeve is included in the set to create the composite seal.



### Adjustable to suit


Alignment of parallelism to the wall.  
Height adjustment for tile thickness  
8-18 mm including tile adhesive.

### Performance info graphic



Drain	h [mm]	Performance [l/s]
DN50 flat	75	0.6


### Installation video



See here  
how to install  
TECElineo.

# “ALL IN ONE SET”

TECElineo shower channel set,  
1000 mm x 65 mm, brushed



For more information visit  
[www.tece.com/en](http://www.tece.com/en)

**TECE GmbH**  
**International business**  
T +49 25 72 / 9 28-999  
[international-business@tece.de](mailto:international-business@tece.de)  
[www.tece.com](http://www.tece.com)

Appearance and texture may vary depending on material, manufacturing process and lighting conditions.

In order to improve the flow of reading, no distinction is made between feminine, masculine and non-binary in gender-related expressions. However, all genders are always implied.